



Original Effective Date: 10/01/2013
Current Effective Date: 06/27/2024
Last P&T Approval/Version: 04/30/2025
Next Review Due By: 04/2026
Policy Number: C3925-A

Sodium Oxybate (Lumryz, Xyrem, Xywav)

PRODUCTS AFFECTED

Lumryz (sodium oxybate), sodium oxybate, Xyrem (sodium oxybate), Xywav (calcium, magnesium, potassium, and sodium oxybates)

COVERAGE POLICY

Coverage for services, procedures, medical devices and drugs are dependent upon benefit eligibility as outlined in the member's specific benefit plan. This Coverage Guideline must be read in its entirety to determine coverage eligibility, if any. This Coverage Guideline provides information related to coverage determinations only and does not imply that a service or treatment is clinically appropriate or inappropriate. The provider and the member are responsible for all decisions regarding the appropriateness of care. Providers should provide Molina Healthcare complete medical rationale when requesting any exceptions to these guidelines.

Documentation Requirements:

Molina Healthcare reserves the right to require that additional documentation be made available as part of its coverage determination; quality improvement; and fraud; waste and abuse prevention processes.

Documentation required may include, but is not limited to, patient records, test results and credentials of the provider ordering or performing a drug or service. Molina Healthcare may deny reimbursement or take additional appropriate action if the documentation provided does not support the initial determination that the drugs or services were medically necessary, not investigational or experimental, and otherwise within the scope of benefits afforded to the member, and/or the documentation demonstrates a pattern of billing or other practice that is inappropriate or excessive.

DIAGNOSIS:

Excessive daytime sleepiness (EDS) or cataplexy with narcolepsy, Idiopathic hypersomnia

REQUIRED MEDICAL INFORMATION:

This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. If a drug within this policy receives an updated FDA label within the last 180 days, medical necessity for the member will be reviewed using the updated FDA label information along with state and federal requirements, benefit being administered and formulary preferencing. Coverage will be determined on a case-by-case basis until the criteria can be updated through Molina Healthcare, Inc. clinical governance. Additional information may be required on a case-by-case basis to allow for adequate review. When the requested drug product for coverage is dosed by weight, body surface area or other member specific measurement, this data element is required as part of the medical necessity review. The Pharmacy and Therapeutics Committee has determined that the drug benefit shall be a mandatory generic and that generic drugs will be dispensed whenever available.

A. EXCESSIVE DAYTIME SLEEPINESS (EDS) IN NARCOLEPSY:

1. Documented diagnosis of narcolepsy confirmed by overnight polysomnography (PSG) followed by multiple sleep latency test (MSLT) [DOCUMENTATION REQUIRED]
AND

Molina Healthcare, Inc. confidential and proprietary © 2025

This document contains confidential and proprietary information of Molina Healthcare and cannot be reproduced, distributed, or printed without written permission from Molina Healthcare. This page contains prescription brand name drugs that are trademarks or registered trademarks of pharmaceutical manufacturers that are not affiliated with Molina Healthcare.

Drug and Biologic Coverage Criteria

2. Documentation of prescriber baseline disease activity evaluation and goals for treatment to be used to evaluate efficacy of therapy at renewal (e.g., symptoms of excessive daytime sleepiness, OR Epworth Sleepiness Scale (ESS), Clinical Global Impression of Change or Maintenance of Wakefulness Test (MWT))
AND
3. Documented treatment failure, serious side effects or FDA labeled contraindication to BOTH of the following for at least 90 days: (i) ONE formulary central nervous system (CNS) stimulant (e.g., methylphenidate, dextroamphetamine, dextroamphetamine); AND (ii) ONE wakefulness promoting agent (i.e., modafinil, armodafinil)
MOLINA REVIEWER NOTE: For Nevada Marketplace, please see Appendix.
AND
4. Prescriber attests to (or the clinical reviewer has found that) the member not having any FDA labeled contraindications that haven't been addressed by the prescriber within the documentation submitted for review [Contraindications to Lumryz, Xyrem, and Xywav include: use in combination with sedative hypnotics or alcohol, and succinic semialdehyde dehydrogenase deficiency]

B. CATAPLEXY WITH NARCOLEPSY:

1. Documented diagnosis of narcolepsy confirmed by polysomnography and multiple sleep latency test (MSLT) [DOCUMENTATION REQUIRED]
AND
2. Documentation member experiences episodes of cataplexy
AND
3. Documentation of prescriber baseline disease activity evaluation and goals for treatment to be used to evaluate efficacy of therapy at renewal (e.g., frequency or severity of cataplexy events/attacks, symptoms of excessive daytime sleepiness, OR Epworth Sleepiness Scale (ESS), Clinical Global Impression of Change or Maintenance of Wakefulness Test (MWT))
AND
4. Documented treatment failure, serious side effects, or FDA labeled contraindication to ONE of the following: a tricyclic antidepressant (TCA) [e.g., amitriptyline, desipramine, imipramine], a selective serotonin reuptake inhibitor (SSRI) [e.g., fluoxetine, sertraline, paroxetine], or venlafaxine
MOLINA REVIEWER NOTE: For Nevada Marketplace, please see Appendix.
AND
5. Prescriber attests to (or the clinical reviewer has found that) the member not having any FDA labeled contraindications that haven't been addressed by the prescriber within the documentation submitted for review [Contraindications to Lumryz, Xyrem, and Xywav include: use in combination with sedative hypnotics or alcohol, and succinic semialdehyde dehydrogenase deficiency]

C. IDIOPATHIC HYPERSOMNIA (IH) – XYWAV ONLY:

1. Documented diagnosis of idiopathic hypersomnia confirmed by polysomnography and multiple sleep latency test (MSLT) [DOCUMENTATION REQUIRED]
AND
2. Documentation prescriber has ruled out all other causes of excessive daytime sleepiness (EDS) (i.e., chronically insufficient sleep, medication side effects, narcolepsy type 1 or type 2, sleep-related breathing disorders, and psychiatric disorders)
AND
3. Documentation of prescriber baseline disease activity evaluation and goals for treatment to be used to evaluate efficacy of therapy at renewal (e.g., symptoms of idiopathic hypersomnia, OR Epworth Sleepiness Scale (ESS), Clinical Global Impression of Change or Idiopathic Hypersomnia Severity Scale (IHSS))
AND
4. Documentation of a trial (minimum of 4 weeks) and failure of or FDA labeled contraindication to modafinil or armodafinil
MOLINA REVIEWER NOTE: For Nevada Marketplace, please see Appendix.
AND

Drug and Biologic Coverage Criteria

5. Prescriber attests to (or the clinical reviewer has found that) the member not having any FDA labeled contraindications that haven't been addressed by the prescriber within the documentation submitted for review [Contraindications to Xywav include: use in combination with sedative hypnotics or alcohol, and succinic semialdehyde dehydrogenase deficiency]

CONTINUATION OF THERAPY:

A. ALL INDICATIONS:

1. Adherence to therapy at least 85% of the time as verified by the prescriber or member medication fill history OR adherence less than 85% of the time due to the need for surgery or treatment of an infection, causing temporary discontinuation
AND
2. Documentation that no contraindications have developed (i.e., member is not taking CNS depressants concomitantly (e.g., ethanol, sedative hypnotics, anxiolytics, barbiturates, benzodiazepines) OR consuming any alcohol concomitantly with Lumryz (sodium oxybate), Xyrem (sodium oxybate), or Xywav (calcium, magnesium, potassium, and sodium oxybates))
AND
3. Documentation of positive response to therapy as noted by prescriber's assessment (e.g., decrease or reduction in the frequency or severity of cataplexy events/attacks, decrease or reduction in symptoms of excessive daytime sleepiness or idiopathic hypersomnia, OR Improvement in the Epworth Sleepiness Scale (ESS), Clinical Global Impression of Change or Maintenance of Wakefulness Test (MWT), or Idiopathic Hypersomnia Severity Scale (IHSS))
AND
4. Prescriber attests to or clinical reviewer has found no evidence of intolerable adverse effects or drug toxicity
AND
5. Prescribed dose is within FDA labeled limit

DURATION OF APPROVAL:

Initial authorization: 6 months, Continuation of therapy: 12 months

PRESCRIBER REQUIREMENTS:

Prescribed by, or in consultation with, a board-certified sleep medicine specialist, neurologist, or psychiatrist. [If prescribed in consultation, consultation notes must be submitted with initial request and reauthorization requests]

AGE RESTRICTIONS:

Narcolepsy:

Lumryz: 7 years of age and older

Xyrem, Xywav: 7 years of age and older

Idiopathic Hypersomnia (Xywav only): 18 years of age and older

QUANTITY:

Narcolepsy: 9 grams per day [Xyrem/Xywav: 18 mL per day; Lumryz: 1 packet per day]

Idiopathic Hypersomnia (Xywav only):

ONCE nightly dosing: 6 grams per day; 12 mL/day Twice nightly dosing: 9 grams per day; 18 mL per day

MAX FDA LIMIT: 9 grams per day The efficacy and safety at doses higher than 9 grams per night have not been established and doses greater than 9 grams per night generally should not be administered.

PLACE OF ADMINISTRATION:

The recommendation is that oral medications in this policy will be for pharmacy benefit coverage and patient self-administered.

Molina Healthcare, Inc. confidential and proprietary © 2025

This document contains confidential and proprietary information of Molina Healthcare and cannot be reproduced, distributed, or printed without written permission from Molina Healthcare. This page contains prescription brand name drugs that are trademarks or registered trademarks of pharmaceutical manufacturers that are not affiliated with Molina Healthcare.

DRUG INFORMATION

ROUTE OF ADMINISTRATION:

Oral

DRUG CLASS:

Anti-Cataplectic Agents, Anti-Cataplectic Combinations

FDA-APPROVED USES:

Lumryz (sodium oxybate): Indicated for the treatment of cataplexy or excessive daytime sleepiness (EDS) in patients 7 years of age and older with narcolepsy

Xyrem (sodium oxybate): Indicated for the treatment of cataplexy or excessive daytime sleepiness (EDS) in patients 7 years of age and older with narcolepsy

Xywav (calcium, magnesium, potassium, and sodium oxybates): Indicated for the treatment of cataplexy or excessive daytime sleepiness (EDS) in patients 7 years of age and older with narcolepsy, and Idiopathic Hypersomnia (IH) in adults

COMPENDIAL APPROVED OFF-LABELED USES:

None

APPENDIX

APPENDIX:

Reserved for State specific information. Information includes, but is not limited to, State contract language, Medicaid criteria and other mandated criteria.

State Specific Information

State Marketplace

Nevada (Source: [Nevada Legislature](#))

“Chapter 689A of Nevada Revised Statutes (NRS) is hereby amended by adding thereto a new section to read as follows:

1. A policy of health insurance which provides coverage for prescription drugs must not require an insured to submit to a step therapy protocol before covering a drug approved by the Food and Drug Administration that is prescribed to treat a psychiatric condition of the insured, if:
 - a. The drug has been approved by the Food and Drug Administration with indications for the psychiatric condition of the insured or the use of the drug to treat that psychiatric condition is otherwise supported by medical or scientific evidence;
 - b. The drug is prescribed by:
 - i. A psychiatrist
 - ii. A physician assistant under the supervision of a psychiatrist;
 - iii. An advanced practice registered nurse who has the psychiatric training and experience prescribed by the State Board of Nursing pursuant to NRS 632.120; or
 - iv. A primary care provider that is providing care to an insured in consultation with a practitioner listed in subparagraph (1), (2) or (3), if the closest practitioner listed in subparagraph (1), (2) or (3) who participates in the network plan of the insurer is located 60 miles or more from the residence of the insured; and
 - c. The practitioner listed in paragraph (b) who prescribed the drug knows, based on the medical history of the insured, or reasonably expects each alternative drug that is required to be used earlier in the step therapy protocol to be ineffective at treating the psychiatric condition...
3. As used in this section:
 - c. ‘Step therapy protocol’ means a procedure that requires an insured to use a prescription drug or sequence

Drug and Biologic Coverage Criteria

of prescription drugs other than a drug that a practitioner recommends for treatment of a psychiatric condition of the insured before his or her policy of health insurance provides coverage for the recommended drug."

MOLINA REVIEWER NOTE: Medical necessity review for a psychiatric condition cannot require trial of other medications first. This is applicable to formulary medications that require prior authorization and non-formulary medications and is not limited to only medications designated 'ST'. If the requested drug is a brand name and the generic is on formulary, request can be reviewed for specific medical reason generic cannot be used.

BACKGROUND AND OTHER CONSIDERATIONS

BACKGROUND:

Xyrem (sodium oxybate) is a central nervous system depressant that reduces excessive daytime sleepiness (EDS) and cataplexy in patients with narcolepsy. Sodium oxybate is intended for oral administration. Sodium oxybate is GHB, a known drug of abuse. Abuse has been associated with some important central nervous system (CNS) adverse events (including death). Even at recommended doses, use has been associated with confusion, depression and other neuropsychiatric events. Xyrem is subject to the Xyrem REMS program.

Lumryz (sodium oxybate) is an extended-release formulation of sodium oxybate that is indicated to be taken once at bedtime.

Lumryz REMS

LUMRYZ is available only through a restricted distribution program called the LUMRYZ REMS because of the risks of central nervous system depression and abuse and misuse.

Notable requirements of the LUMRYZ REMS include the following:

- Healthcare providers who prescribe LUMRYZ are specially certified.
- LUMRYZ will be dispensed only by pharmacies that are specially certified.
- LUMRYZ will be dispensed and shipped only to patients who are enrolled in the LUMRYZ REMS with documentation of safe use conditions.

Further information is available at www.LUMRYZREMS.com or by calling 1-877-453-1029.

Xywav and Xyrem REMS

Xyrem or Xywav is available only through a restricted distribution program called the XYWAV and XYREM REMS because of the risks of central nervous system depression and abuse and misuse.

Notable requirements of the XYWAV and XYREM REMS include the following:

- Healthcare Providers who prescribe Xyrem or Xywav are specially certified
- Xyrem or Xywav will be dispensed only by the central pharmacy that is specially certified
- Xyrem or Xywav will be dispensed and shipped only to patients who are enrolled in the XYWAV and XYREM REMS with documentation of safe use

Further information is available at www.XYWAVXYREMREMS.com or 1-866-997-3688.

CONTRAINDICATIONS/EXCLUSIONS/DISCONTINUATION:

All other uses of Lumryz (sodium oxybate), Xyrem (sodium oxybate) and Xywav (calcium, magnesium, potassium, and sodium oxybates) are considered experimental/investigational and therefore, will follow Molina's Off- Label policy. Contraindications to Lumryz (sodium oxybate), Xyrem (sodium oxybate) and Xywav (calcium, magnesium, potassium, and sodium oxybates) include: use in combination with sedative hypnotics or alcohol, and succinic semialdehyde dehydrogenase deficiency.

Exclusions/Discontinuation:

Do not take other narcolepsy therapies with the same mechanism of action.

OTHER SPECIAL CONSIDERATIONS:

Lumryz, Xyrem and Xywav have a Black Box Warning for central nervous system (CNS) depression and abuse and misuse.

Drug and Biologic Coverage Criteria

Lumryz, Xyrem and Xywav are Schedule III drugs under the Controlled Substances Act.

CODING/BILLING INFORMATION

CODING DISCLAIMER. Codes listed in this policy are for reference purposes only and may not be all-inclusive or applicable for every state or line of business. Deleted codes and codes which are not effective at the time the service is rendered may not be eligible for reimbursement. Listing of a service or device code in this policy does not guarantee coverage. Coverage is determined by the benefit document. Molina adheres to Current Procedural Terminology (CPT®), a registered trademark of the American Medical Association (AMA). All CPT codes and descriptions are copyrighted by the AMA; this information is included for informational purposes only. Providers and facilities are expected to utilize industry-standard coding practices for all submissions. Molina has the right to reject/deny the claim and recover claim payment(s) if it is determined it is not billed appropriately or not a covered benefit. Molina reserves the right to revise this policy as needed.

| HCPCS CODE | DESCRIPTION |
|------------|-------------|
| NA | |

AVAILABLE DOSAGE FORMS:

Lumryz PACK 4.5 GM, 6GM, 7.5GM, 9GM
Lumryz Starter Pack THPK 4.5 & 6 & 7.5GM
Sodium Oxybate SOLN 500MG/ML
Xyrem SOLN 500MG/ML
Xywav SOLN 500MG/ML

REFERENCES

1. Xyrem (sodium oxybate) oral solution, CIII [prescribing information]. Indianapolis, IN: Jazz Pharmaceuticals; April 2023.
2. Xywav (calcium, magnesium, potassium, and sodium oxybates) oral solution, CIII [prescribing information]. Palo Alto, CA: Jazz Pharmaceuticals Inc; April 2023.
3. Lumryz (sodium oxybate) for extended-release oral suspension, CIII [prescribing information]. Chesterfield, MO: Avadel CNS Pharmaceuticals, LLC; October 2024.
4. Morgenthaler TI, Kapur VK, Brown TM, et al. Practice Parameters for the Treatment of Narcolepsy and other Hypersomnias of Central Origin: An American Academy of Sleep Medicine Report. Available at: http://www.aasmnet.org/Resources/PracticeParameters/PP_Narcolepsy.pdf. Accessed on 13 August 2018
5. Wise MS, Arand DL, Auger R, et al. Treatment of narcolepsy and other hypersomnias of central origin: An American Academy of Sleep Medicine Review. Available at: http://www.aasmnet.org/Resources/PracticeParameters/Review_Narcolepsy.pdf. Accessed on 13 August 2018.
6. Food and Drug Administration (FDA) drug safety communication: warning against the use of Xyrem (sodium oxybate) with alcohol or drugs causing respiratory depression. Page last updated: 1/19/2016. Available at: <http://www.fda.gov/Drugs/DrugSafety/ucm332029.htm>.
7. Spaeth, Michael, et al. "Long-Term Tolerability and Maintenance of Therapeutic Response to Sodium Oxybate in an Open-Label Extension Study in Patients with Fibromyalgia." Arthritis Research & Therapy, vol. 15, no. 6, 2013, doi:10.1186/ar4375.
8. Mayer, G., Benes, H., Young, P., Bitterlich, M., & Rodenbeck, A. (2015). Modafinil in the treatment of idiopathic hypersomnia without long sleep time--a randomized, double-blind, placebo-controlled study. Journal of sleep research, 24(1), 74–81. <https://doi.org/10.1111/jsr.12201>
9. Maski, K., Trotti, L. M., Kotagal, S., Robert Auger, R., Rowley, J. A., Hashmi, S. D., & Watson, N. F. (2021). Treatment of central disorders of hypersomnolence: an American Academy of Sleep Medicine clinical practice guideline. Journal of Clinical Sleep Medicine, 17(9), 1881–1893. <https://doi.org/10.5664/jcsm.9328>

Drug and Biologic Coverage Criteria

| SUMMARY OF REVIEW/REVISIONS | DATE |
|---|----------------------------|
| REVISION- Notable revisions: Required Medical Information Continuation of Therapy Contraindications/Exclusions/Discontinuation Available Dosage Forms References | Q2 2025 |
| REVISION- Notable revisions: Age Restrictions FDA-Approved Uses References | Q1 2025 |
| REVISION- Notable revisions: Required Medical Information | Q2 2024 |
| REVISION- Notable revisions: Products affected Required Medical Information Continuation of Therapy Age Restrictions Quantity FDA Approved Uses Background Contraindications/Exclusions/Discontinuation Available Dosage Forms References | Q3 2023 |
| REVISION- Notable revisions: Diagnosis Required Medical Information Continuation of Therapy Duration of Approval Prescriber Requirements Quantity Drug Class Background Contraindications/Exclusions/Discontinuation Other Special Considerations Available Dosage Forms References | Q2 2023 |
| REVISION- Notable revisions: Diagnosis Required Medical Information Continuation of Therapy Age Restrictions FDA-Approved Uses References | Q3 2022 |
| REVISION- Notable revisions: Prescriber Requirements References | Q3 2022 |
| Q2 2022 Established tracking in new format | Historical changes on file |